

L Number	Hits	Search Text	DB	Time stamp
12	1	20010035504.pn.	USPAT; US-PGPUB	2004/06/17 15:49
13	1	20010035504.pn. and (uniform with (sample near volume))	USPAT; US-PGPUB	2004/06/17 16:00
14	1	4642569.pn.	USPAT; US-PGPUB	2004/06/17 15:57
15	0	4642569.pn. and uniform	USPAT; US-PGPUB	2004/06/17 15:56
16	509	(250/515.1).ccls.	USPAT; US-PGPUB	2004/06/17 15:58
17	0	(439/55.83).ccls.	USPAT; US-PGPUB	2004/06/17 15:58
18	1268	(439/55,83).ccls.	USPAT; US-PGPUB	2004/06/17 15:58
19	2385	(118/728,723E).ccls.	USPAT; US-PGPUB	2004/06/17 15:59
20	949	(315/111.21,111.51).ccls.	USPAT; US-PGPUB	2004/06/17 15:59
21	1993	(324/318).ccls.	USPAT; US-PGPUB	2004/06/17 15:59
22	283	(600/422).ccls.	USPAT; US-PGPUB	2004/06/17 16:00
23	7131	((250/515.1).ccls.) or ((439/55,83).ccls.) or ((118/728,723E).ccls.) or ((315/111.21,111.51).ccls.) or ((324/318).ccls.) or ((600/422).ccls.)	USPAT; US-PGPUB	2004/06/17 16:00
24	14	((250/515.1).ccls.) or ((439/55,83).ccls.) or ((118/728,723E).ccls.) or ((315/111.21,111.51).ccls.) or ((324/318).ccls.) or ((600/422).ccls.) and (uniform with (sample near volume))	USPAT; US-PGPUB	2004/06/17 16:02
25	1	((250/515.1).ccls.) or ((439/55,83).ccls.) or ((118/728,723E).ccls.) or ((315/111.21,111.51).ccls.) or ((324/318).ccls.) or ((600/422).ccls.) and (electric\$4 with uniform with (sample near volume))	USPAT; US-PGPUB	2004/06/17 16:42
26	456	((250/515.1).ccls.) or ((439/55,83).ccls.) or ((118/728,723E).ccls.) or ((315/111.21,111.51).ccls.) or ((324/318).ccls.) or ((600/422).ccls.) and (electric\$4 with uniform)	USPAT; US-PGPUB	2004/06/17 16:04
28	1	((250/515.1).ccls.) or ((439/55,83).ccls.) or ((118/728,723E).ccls.) or ((315/111.21,111.51).ccls.) or ((324/318).ccls.) or ((600/422).ccls.) and ((electric near (field\$2 or component\$2)) with uniform with (sample near volume))	USPAT; US-PGPUB	2004/06/17 16:42
27	172	((250/515.1).ccls.) or ((439/55,83).ccls.) or ((118/728,723E).ccls.) or ((315/111.21,111.51).ccls.) or ((324/318).ccls.) or ((600/422).ccls.) and ((electric near (field\$2 or component\$2)) with uniform)	USPAT; US-PGPUB	2004/06/17 16:42
29	1994	((250/515.1).ccls.) or ((439/55,83).ccls.) or ((118/728,723E).ccls.) or ((315/111.21,111.51).ccls.) or ((324/318).ccls.) or ((600/422).ccls.) and (magnet\$3 near resonance)	USPAT; US-PGPUB	2004/06/17 16:06

30	19	((((250/515.1).cccls.) or ((439/55,83).cccls.) or ((118/728,723E).cccls.) or ((315/111.21,111.51).cccls.) or ((324/318).cccls.) or ((600/422).cccls.)) and (magnet\$3 near resonance)) and ((electric near (field\$2 or component\$2)) with uniform)	USPAT; US-PGPUB	2004/06/17 16:45
31	1	20010035504.pn. and ((electric near (field\$2 or component\$2)) with uniform)	USPAT; US-PGPUB	2004/06/17 16:25
32	0	0724164.pn.	EPO	2004/06/17 16:41
33	1	ep-724164-\$ did.	EPO	2004/06/17 16:41
34	0	ep-724164-\$ did. and ((electric near (field\$2 or component\$2)) with uniform with (sample near volume))	USPAT; US-PGPUB	2004/06/17 16:42
35	0	ep-724164-\$ did. and ((electric near (field\$2 or component\$2)) with uniform)	USPAT; US-PGPUB	2004/06/17 16:42
36	0	ep-724164-\$ did. and (electric\$4 with uniform with (sample near volume))	USPAT; US-PGPUB	2004/06/17 16:42
37	0	(((((250/515.1).cccls.) or ((439/55,83).cccls.) or ((118/728,723E).cccls.) or ((315/111.21,111.51).cccls.) or ((324/318).cccls.) or ((600/422).cccls.)) and (magnet\$3 near resonance)) and ((electric near (field\$2 or component\$2)) with uniform)) and (dielectric with conductive with capacitive)	USPAT; US-PGPUB	2004/06/17 16:46
38	6	(((((250/515.1).cccls.) or ((439/55,83).cccls.) or ((118/728,723E).cccls.) or ((315/111.21,111.51).cccls.) or ((324/318).cccls.) or ((600/422).cccls.)) and (magnet\$3 near resonance)) and ((electric near (field\$2 or component\$2)) with uniform)) and (dielectric with conductive)	USPAT; US-PGPUB	2004/06/17 16:49
39	1	(((((250/515.1).cccls.) or ((439/55,83).cccls.) or ((118/728,723E).cccls.) or ((315/111.21,111.51).cccls.) or ((324/318).cccls.) or ((600/422).cccls.)) and (magnet\$3 near resonance)) and ((electric near (field\$2 or component\$2)) with uniform)) and (dielectric with conductive with capacitive)	USPAT; US-PGPUB	2004/06/17 16:46
40	1		USPAT;	2004/06/17 16:47
41	5	(((((250/515.1).cccls.) or ((439/55,83).cccls.) or ((118/728,723E).cccls.) or ((315/111.21,111.51).cccls.) or ((324/318).cccls.) or ((600/422).cccls.)) and (magnet\$3 near resonance)) and ((electric near (field\$2 or component\$2)) with uniform)) and (dielectric with conductive)) not (((((250/515.1).cccls.) or ((439/55,83).cccls.) or ((118/728,723E).cccls.) or ((315/111.21,111.51).cccls.) or ((324/318).cccls.) or ((600/422).cccls.)) and (magnet\$3 near resonance)) and ((electric near (field\$2 or component\$2)) with uniform)) and (dielectric with conductive with capacitive))	USPAT; US-PGPUB	2004/06/17 16:47

42	0	(((((250/515.1).ccls.) or ((439/55,83).ccls.) or ((118/728,723E).ccls.) or ((315/111.21,111.51).ccls.) or ((324/318).ccls.) or ((600/422).ccls.)) and (magnet\$3 near resonance)) and ((electric near (field\$2 or component\$2)) with uniform)) and (alternat\$5 with (dielectric with conductive))	USPAT; US-PGPUB	2004/06/17 16:50
----	---	--	--------------------	---------------------

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L12	1	20010035504.pn.	USPA T; US-P GPUB	2004/06/1 7 15:49	
2	BRS	L13	1	L12 and (uniform with (sample near volume))	USPA T; US-P GPUB	2004/06/1 7 16:00	
3	BRS	L14	1	4642569.pn.	USPA T; US-P GPUB	2004/06/1 7 15:57	
4	BRS	L15	0	L14 and uniform	USPA T; US-P GPUB	2004/06/1 7 15:56	
5	BRS	L16	509	(250/515.1).ccls.	USPA T; US-P GPUB	2004/06/1 7 15:58	
6	BRS	L17	0	(439/55.83).ccls.	USPA T; US-P GPUB	2004/06/1 7 15:58	
7	BRS	L18	1268	(439/55,83).ccls.	USPA T; US-P GPUB	2004/06/1 7 15:58	
8	BRS	L19	2385	(118/728,723E).ccls.	USPA T; US-P GPUB	2004/06/1 7 15:59	
9	BRS	L20	949	(315/111.21,111.51).ccls.	USPA T; US-P GPUB	2004/06/1 7 15:59	
10	BRS	L21	1993	(324/318).ccls.	USPA T; US-P GPUB	2004/06/1 7 15:59	
11	BRS	L22	283	(600/422).ccls.	USPA T; US-P GPUB	2004/06/1 7 16:00	
12	BRS	L23	7131	L16 or L18 or L19 or L20 or L21 or L22	USPA T; US-P GPUB	2004/06/1 7 16:00	
13	BRS	L24	14	L23 and (uniform with (sample near volume))	USPA T; US-P GPUB	2004/06/1 7 16:02	

	Error Definition	Er ro rs
1		0
2		0
3		0
4		0
5		0
6		0
7		0
8		0
9		0
10		0
11		0
12		0
13		0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
14	BRS	L25	1	L23 and (electric\$4 with uniform with (sample near volume))	USPAT; US-P GPUB	2004/06/17 16:42	
15	BRS	L26	456	L23 and (electric\$4 with uniform)	USPAT; US-P GPUB	2004/06/17 16:04	
16	BRS	L28	1	L23 and ((electric near (field\$2 or component\$2)) with uniform with (sample near volume))	USPAT; US-P GPUB	2004/06/17 16:42	
17	BRS	L27	172	L23 and ((electric near (field\$2 or component\$2)) with uniform)	USPAT; US-P GPUB	2004/06/17 16:42	
18	BRS	L29	1994	L23 and (magnet\$3 near resonance)	USPAT; US-P GPUB	2004/06/17 16:06	
19	BRS	L30	19	L29 and ((electric near (field\$2 or component\$2)) with uniform)	USPAT; US-P GPUB	2004/06/17 16:45	
20	BRS	L31	1	L12 and ((electric near (field\$2 or component\$2)) with uniform)	USPAT; US-P GPUB	2004/06/17 16:25	
21	BRS	L32	0	0724164.pn.	EPO	2004/06/17 16:41	
22	BRS	L33	1	ep-724164-\$.did.	EPO	2004/06/17 16:41	
23	BRS	L34	0	L33 and ((electric near (field\$2 or component\$2)) with uniform with (sample near volume))	USPAT; US-P GPUB	2004/06/17 16:42	
24	BRS	L35	0	L33 and ((electric near (field\$2 or component\$2)) with uniform)	USPAT; US-P GPUB	2004/06/17 16:42	
25	BRS	L36	0	L33 and (electric\$4 with uniform with (sample near volume))	USPAT; US-P GPUB	2004/06/17 16:42	
26	BRS	L37	0	L30 and (dielectric with conductive with capacitive)	USPAT; US-P GPUB	2004/06/17 16:46	

	Error Definition	Er ro rs
14		0
15		0
16		0
17		0
18		0
19		0
20		0
21		0
22		0
23		0
24		0
25		0
26		0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
27	BRS	L38	6	L30 and (dielectric with conductive)	USPA T; US-P GPUB	2004/06/17 16:49	
28	BRS	L39	1	L30 and (dielectric with conductive with capacitive)	USPA T; US-P GPUB	2004/06/17 16:46	
29	BRS	L40	1	L8 not L39	USPA T; US-P GPUB	2004/06/17 16:47	
30	BRS	L41	5	L38 not L39	USPA T; US-P GPUB	2004/06/17 16:47	
31	BRS	L42	0	L30 and (alternat\$5 with (dielectric with conductive))	USPA T; US-P GPUB	2004/06/17 16:50	

	Error Definition	Er ro rs
27		0
28		0
29		0
30		0
31		0